




ops 15 Speed*




Art. 890 - 15 Speed SPP RCB & pipe ss

* Travano a cinque luci « OPS 1-3-1 » brevettato — Five ports « OPS 1-3-1 » U.S. patent pending

OPS 15 SPEED
Elenco parti di ricambio

Spare parts list

501	Vite tappo anteriore	Front plate screw
504	Spinotto	Wrist pin
505	Anellini spinotto	Wrist pin retainer
508	Cuscinetto posteriore	Rear ball bearing
510	Cilindro marino	Watercooled cylinder
513	Guarnizione scarico	Exhaust gasket
519	Trascinavalvola	Rotor shaft
520	Valvola	Rotor
522	Tappo posteriore	Rear plate
523	Guarn. tappo posteriore	Rear plate gasket
526	Volano insieme	Flywheel assembly
527	Pipa standard	Standard pipe
536	Cuscinetto anteriore	Front ball bearing
537	Accoppiamento ABC risonanza	Piped ABC cyl/piston
541	Guarnizione testa	Head gasket
542	O-Ring testa raff. acqua	O-Ring for W. cooled head
552	Biella a rullini	Needle bearing rod
556	Giunto	Universal joint
557	Monoblocco	Crankcase
558	Tappo anteriore	Front plate
559	Guarn. tappo anteriore	Front plate gasket
575	Rullini biella	Needles for rod
583	Albero	Shaft
588	Attacco scarico	Exhaust adaptor
592	Pipa SS	SS pipe
593	Volano	Flywheel
594	Cono volano	Flywheel cone
595	Testa raffredd. ad acqua	Watercooled head
597	Vite testa (5MA x 60)	Head screw
044	Silicone pipa	Pipe silicone
401	Vite tappo poster. e carb.	Carb. & rear plate screw
435	Cuscinetto trascinavalvola	Rotor shaft ball bearing
650	Presa pressione pipa	Pressure-pipe plug
670	Vite scarico	Exhaust screw
698	Prese acqua cilindro	Cylinder water inlet
995	Gruppo carburazione regolabile RC	RC needle control assembly
589	Carburatore RC	RC carburettor
5201	Valvola rinforzata	New rotor



15 Speed SPP RCB	14,87 cc	27,00 mm	26,00 mm	1250 gr	4,60 HP	20.000	si
------------------	----------	----------	----------	---------	---------	--------	----

* Miscela standard — Standard fuel — Standard Mischung — Carburant standard.

