



ops


3,5 Speed SLA




Art. 879 - 3,5 Speed SLA STD






Art. 876 - 3,5 Speed SLA RCA



Art. 878 - 3,5 Speed SLA CAR *
Art. 880 - 3,5 Speed SLA CAR *
Art. 881 - 3,5 Speed SLA CAR *
Art. 882 - 3,5 Speed SLA CAR *
« PRO »
Art. 883 - 3,5 Speed SLA CAR *



Art. 877 - 3,5 Speed SLA RCB & pipe ss



OPS 3,5 SPEED
Elenco parti di ricambio

Spare parts list

302	Testa aerea	Air head
303	ABC standard	ABC standard cyl/pist.
304	Spinotto	Wrist pin
305	Anellini spinotto	Wrist pin retainer
311	Attacco scarico CAR	Car exhaust adaptor
312	Guarnizione tappo	Plate gasket
313	OR tappo posteriore	Rear plate O-Ring
314	Fermo carburatore	Carburettor retainer
321	Monoblocco	Crankcase
323	Albero	Shaft
324	Tappo posteriore	Rear plate
326	Venturi	Venturi
327	Pipa standard	Standard pipe
328	Pipa Nitro	Nitro pipe
333	Spillo e spruzzatore Venturi	Venturi needle assembly
337	ABC risonanza	Piped ABC cyl/pist
339	Vite testa CAR	Car head screw
340	Vite tappo posteriore	Rear plate screw
341	Guarnizione testa	Head gasket
351	Biella	Connecting rod
352	Biella con bronzina	Bushed connecting rod
356	Giunto volano	Joint-flywheel
361	Testa alettata CAR	Special car head
364	Porta elica completo	Prop nut washer-adaptor-cone
376	Guarnizione scarico	Exhaust gasket
388	Attacco scarico pipa	Pipe exhaust adapter
392	Pipa silenziata SS	SS silenced pipe
393	Volano	Flywheel
395	Cappello testa raff. acqua	Watercooled head cover
396	Inserto testa car. e raff. acqua	Watercooled & car head insert
398	Cuscinetto ant. schermato	Shielded front ball bearing
041	Raccordo silicone scarico 388	388 exhaust silicone connector
042	Raccordo silicone scarico 311	311 exhaust silicone connector
071	Silenziatore CAR Ø 32 mm	CAR muffler Ø 32 mm
092	Silenziatore aereo completo	Air muffler assembly
419	Presa pressione tappo post.	Rear plate pressure screw
420	Cuscinetto posteriore	Rear ball bearing
435	Cuscinetto anteriore	Front ball bearing
439	Viti scarico e testa aerea	Exhaust and air head screw
494	Cono volano	Flywheel cone
497	Vite testa acqua	W. cooled head screw
632	Giunto maschio Europa 5MA	Universal joint male 5MA
655	Giunto maschio USA	Universal joint male USA
901	Carburatore OPS Ø 9 mm	OPS Ø 9 mm carburettor
903	Carburatore Perry Ø 6 mm	Perry Ø 6 mm carburettor
905	Carburatore Perry Ø 7 mm	Perry Ø 7 mm carburettor
907	Carburatore OPS Ø 8 mm	OPS Ø 8 mm carburettor
941	Spillo OPS	OPS needle
994	Prese acqua testa	Water inlet watercooled head

* Art. 878 - ABC 303 Perry carb.

* Art. 880 - ABC 337 no carb.

* Art. 881 - ABC 303 no carb.

* Art. 882 - ABC 303/337 - 394 carb. (Ø 9 mm)
 Cuscinetti 353 - 354 Ball bearings
 Parti selezionate - selected parts
 HP 1,30 - 27.000 RPM-PIPE

* Art. 883 - ABC 303 - 389 carb.



994

395

396

361

302

497

339

439

907

901

341

337

303

905

333

326

313

305

304

351

352

903

314

364

340

419

324

312

323

420

321

398

435

494

393

356

655

632

376

311

439

042

071

041

327

328

392

092

388

439

497

Tipo / Type / Typ / Version	Cilindrata / Displacement Hubraum / Cylindrée	Alesaggio / Bore Bohrung / Alesage	Corsa / Stroke Hub / Course	Peso / Weight Gewicht / Poids	Potenza / Power * Leistung / Puissance	A giri / At R.P.M. U-min. / Tours	Pipa / Pipe Resonanzrohre / Pipe
3,5 Speed SLA RCA	3,46 cc	16,60 mm	16,00 mm	210 gr	0,75 HP	19.000	-
3,5 Speed SLA RCB	3,46 cc	16,60 mm	16,00 mm	300 gr	1,30 HP	27.000	Si
3,5 Speed SLA CAR	3,46 cc	16,60 mm	16,00 mm	260 gr	0,95 HP	25.000	-
3,5 Speed SLA STD	3,46 cc	16,60 mm	16,00 mm	190 gr	0,75 HP	19.000	-

* Miscela standard — Standard fuel — Standard Mischung — Carburant standard.

